

Contents of Aquaculture, Volume 253

VOL. 253 NOS. 1–4

31 March 2006

Diseases

The effect of cutaneous injury on a reproducible immersion challenge model for <i>Flavobacterium columnare</i> infection in channel catfish (<i>Ictalurus punctatus</i>) J.A. Bader, S.A. Moore and K.E. Nusbaum (AL, USA)	1
An egg-laying rhythm in <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae), a gill parasite of yellowtail kingfish (<i>Seriola lalandi</i>) A.J. Mooney, I. Ernst and I.D. Whittington (South Australia, Australia)	10
Antagonistic activity of cellular components of <i>Pseudomonas</i> species against <i>Aeromonas hydrophila</i> B.K. Das, S.K. Samal, B.R. Samantaray, S. Sethi, P. Pattnaik and B.K. Mishra (Orissa, India)	17
Molecular identification of <i>Vibrio tapetis</i> , the causative agent of the brown ring disease of <i>Ruditapes philippinarum</i> C. Paillard, S. Gausson, J.L. Nicolas (Plouzané, France), J.P. le Pennec and D. Haras (Lorient, France)	25
Effect of two Chinese herbs (<i>Astragalus radix</i> and <i>Scutellaria radix</i>) on non-specific immune response of tilapia, <i>Oreochromis niloticus</i> G. Yin (Wuxi, China; Szarvas, Hungary), G. Jeney, T. Racz (Szarvas, Hungary), P. Xu, X. Jun (Wuxi, China) and Z. Jeney (Szarvas, Hungary)	39
Effect of <i>Epinephelus coioides</i> , <i>Chanos chanos</i> , and GIFT tilapia in polyculture with <i>Penaeus monodon</i> on the growth of the luminous bacteria <i>Vibrio harveyi</i> E.A. Tendencia, A.C. Fermin, M.R. dela Peña and C.H. Choresca Jr. (Iloilo, Philippines)	48
The prevalence of the pea crab, <i>Pinnotheres sinensis</i> , and its impact on the condition of the cultured mussel, <i>Mytilus galloprovincialis</i> , in Jiaonan waters (Shandong Province, China) S. Weiming (Qingdao, Yantai, China), S. Shichun, W. Yuqi, Y. Baowen and S. Weibo (Qingdao, China)	57
Efficacy of 2-phenoxyethanol as an anaesthetic for two size classes of white sea bream, <i>Diplodus sargus</i> L., and sharp snout sea bream, <i>Diplodus puntazzo</i> C. H. Tsantilas, A.D. Galatos, F. Athanassopoulou, N.N. Prassinou (Karditsa, Greece) and K. Kousoulaki (Athens, Greece)	64
Temporal analysis of VP28 gene of Indian white spot syndrome virus isolate (WSSV) in different crustacean hosts K. Yoganandhan, S. Syed Musthaq, R. Sudhakaran, G. Balasubramanian and A.S. Sahul Hameed (Tamil Nadu, India)	71
Short-term hyperthermic treatment of <i>Penaeus monodon</i> increases expression of heat shock protein 70 (HSP70) and reduces replication of gill associated virus (GAV) E. de la Vega, M.R. Hall, B.M. Degnan and K.J. Wilson (Queensland, Australia)	82
Comparison of <i>Marteilioides chungmuensis</i> infection in the Pacific oyster <i>Crassostrea gigas</i> cultured in different conditions K.L. Tun, N. Itoh (Tokyo, Japan), H. Komiya, N. Ueki (Okayama, Japan), T. Yoshinaga and K. Ogawa (Tokyo, Japan)	91
Neutralization of white spot syndrome virus of shrimp by antiserum raised against recombinant VP28 S. Syed Musthaq, K. Yoganandhan, R. Sudhakaran, S. Rajesh Kumar and A.S. Sahul Hameed (Tamil Nadu, India)	98
"Summer Syndrome" in <i>Litopenaeus stylirostris</i> in New Caledonia: Pathology and epidemiology of the etiological agent, <i>Vibrio nigripulchritudo</i> C. Goarant, D. Ansquer, J. Herlin, D. Domalain, F. Imbert and S. De Decker (Nouméa cedex, New Caledonia)	105
Development of primary shrimp hemocyte cultures of <i>Penaeus chinensis</i> to study white spot syndrome virus (WSSV) infection Y.-S. Jiang, W.-B. Zhan, S.-B. Wang and J. Xing (Qingdao, PR China)	114
Formalin treatment to reduce mortality associated with <i>Saprolegnia parasitica</i> in rainbow trout, <i>Oncorhynchus mykiss</i> C.M. Giesecke, S.G. Serfling and R. Reimschuessel (Maryland, USA)	120

Contents of *Aquaculture*, Volume 253

VOL. 253 NOS. 1–4

31 March 2006

Diseases

The effect of cutaneous injury on a reproducible immersion challenge model for <i>Flavobacterium columnare</i> infection in channel catfish (<i>Ictalurus punctatus</i>) J.A. Bader, S.A. Moore and K.E. Nusbaum (AL, USA)	1
An egg-laying rhythm in <i>Zeuxapta seriolae</i> (Monogenea: Heteraxinidae), a gill parasite of yellowtail kingfish (<i>Seriola lalandi</i>) A.J. Mooney, I. Ernst and I.D. Whittington (South Australia, Australia)	10
Antagonistic activity of cellular components of <i>Pseudomonas</i> species against <i>Aeromonas hydrophila</i> B.K. Das, S.K. Samal, B.R. Samantaray, S. Sethi, P. Pattnaik and B.K. Mishra (Orissa, India)	17
Molecular identification of <i>Vibrio tapetis</i> , the causative agent of the brown ring disease of <i>Ruditapes philippinarum</i> C. Paillard, S. Gausson, J.L. Nicolas (Plouzané, France), J.P. le Pennec and D. Haras (Lorient, France)	25
Effect of two Chinese herbs (<i>Astragalus radix</i> and <i>Scutellaria radix</i>) on non-specific immune response of tilapia, <i>Oreochromis niloticus</i> G. Yin (Wuxi, China; Szarvas, Hungary), G. Jeney, T. Racz (Szarvas, Hungary), P. Xu, X. Jun (Wuxi, China) and Z. Jeney (Szarvas, Hungary)	39
Effect of <i>Epinephelus coioides</i> , <i>Chanos chanos</i> , and GIFT tilapia in polyculture with <i>Penaeus monodon</i> on the growth of the luminous bacteria <i>Vibrio harveyi</i> E.A. Tendencia, A.C. Fermin, M.R. dela Peña and C.H. Choresca Jr. (Iloilo, Philippines)	48
The prevalence of the pea crab, <i>Pinnothres sinensis</i> , and its impact on the condition of the cultured mussel, <i>Mytilus galloprovincialis</i> , in Jiaonan waters (Shandong Province, China) S. Weiming (Qingdao, Yantai, China), S. Shichun, W. Yuqi, Y. Baowen and S. Weibo (Qingdao, China)	57
Efficacy of 2-phenoxyethanol as an anaesthetic for two size classes of white sea bream, <i>Diplodus sargus</i> L., and sharp snout sea bream, <i>Diplodus puntazzo</i> C. H. Tsantilas, A.D. Galatos, F. Athanassopoulou, N.N. Prassinou (Karditsa, Greece) and K. Kousoulaki (Athens, Greece)	64
Temporal analysis of VP28 gene of Indian white spot syndrome virus isolate (WSSV) in different crustacean hosts K. Yoganandhan, S. Syed Musthaq, R. Sudhakaran, G. Balasubramanian and A.S. Sahul Hameed (Tamil Nadu, India)	71
Short-term hyperthermic treatment of <i>Penaeus monodon</i> increases expression of heat shock protein 70 (HSP70) and reduces replication of gill associated virus (GAV) E. de la Vega, M.R. Hall, B.M. Degnan and K.J. Wilson (Queensland, Australia)	82
Comparison of <i>Marteilioides chungmuensis</i> infection in the Pacific oyster <i>Crassostrea gigas</i> cultured in different conditions K.L. Tun, N. Itoh (Tokyo, Japan), H. Komiya, N. Ueki (Okayama, Japan), T. Yoshinaga and K. Ogawa (Tokyo, Japan)	91
Neutralization of white spot syndrome virus of shrimp by antiserum raised against recombinant VP28 S. Syed Musthaq, K. Yoganandhan, R. Sudhakaran, S. Rajesh Kumar and A.S. Sahul Hameed (Tamil Nadu, India)	98
"Summer Syndrome" in <i>Litopenaeus stylirostris</i> in New Caledonia: Pathology and epidemiology of the etiological agent, <i>Vibrio nigripulchritudo</i> C. Goarant, D. Ansquer, J. Herlin, D. Domalain, F. Imbert and S. De Decker (Nouméa cedex, New Caledonia)	105
Development of primary shrimp hemocyte cultures of <i>Penaeus chinensis</i> to study white spot syndrome virus (WSSV) infection Y.-S. Jiang, W.-B. Zhan, S.-B. Wang and J. Xing (Qingdao, PR China)	114
Formalin treatment to reduce mortality associated with <i>Saprolegnia parasitica</i> in rainbow trout, <i>Oncorhynchus mykiss</i> C.M. Giesecke, S.G. Serfling and R. Reimschuessel (Maryland, USA)	120

In vitro effects of bovine lactoferrin, mushroom glucan and <i>Abrus</i> agglutinin on Indian major carp, catla (<i>Catla catla</i>) head kidney leukocytes D. Kamilya, D. Ghosh, S. Bandyopadhyay, B.C. Mal and T.K. Maiti (West Bengal, India)	130
Comparative study between probiotic bacterium <i>Arthrobacter</i> XE-7 and chloramphenicol on protection of <i>Penaeus chinensis</i> post-larvae from pathogenic vibrios J. Li, B. Tan, K. Mai, Q. Ai, W. Zhang, W. Xu, Z. Liufu and H. Ma (Qingdao, P.R. China)	140
Effects of various treatments on hatching of eggs and viability of oncomiracidia of the monogenean <i>Pseudodactylogyrus anguillae</i> and <i>Pseudodactylogyrus bini</i> N. Umeda (Oita, Japan), H. Nibe (Kagoshima, Japan), T. Hara and N. Hirazawa (Oita, Japan)	148
Effect of shrimp biomass and feeding on the anti- <i>Vibrio harveyi</i> activity of <i>Tilapia</i> sp. in a simulated shrimp-tilapia polyculture system E.A. Tendencia, M.R. dela Peña and C.H. Choresca Jr. (Iloilo, Philippines)	154
The effect of acute salinity change on white spot syndrome (WSS) outbreaks in <i>Fenneropenaeus chinensis</i> B. Liu, Z. Yu, X. Song, Y. Guan (Qingdao, Beijing China), X. Jian and J. He (Guangzhou China)	163
Winter ulcer disease of post-smolt Atlantic salmon: An unsuitable case for treatment? R. Coyne (Bergen, Norway), P. Smith (Galway, Ireland), I. Dalsgaard (Frederiksberg C, Denmark), H. Nilsen, H. Kongshaug, Ø. Bergh and O. Samuelsen (Bergen, Norway)	171
Crayfish <i>Procambarus clarkii</i> protected against white spot syndrome virus by oral administration of viral proteins expressed in silkworms Z. Xu, H. Du (Hangzhou, P.R. China), Y. Xu (Suzhou, P.R. China), J. Sun and J. Shen (Hangzhou, P.R. China)	179
Egg-associated microflora of Pacific threadfin, <i>Polydactylus sexfilis</i> and amberjack, <i>Seriola rivoliana</i> , eggs. Characterisation and properties D.W. Verner-Jeffreys, I. Nakamura and R.J. Shields (HI, USA)	184
Unique lesions and viral-like particles found in growth retarded black tiger shrimp <i>Penaeus monodon</i> from East Africa G. Anantasomboon, S. Sriurairatana, T.W. Flegel and B. Withyachumnarnkul (Bangkok, Thailand)	197
Cloning, expression and antimicrobial activity of an antimicrobial peptide, epinecidin-I, from the orange-spotted grouper, <i>Epinephelus coioides</i> Z.-X. Yin, W. He, W.-J. Chen, J.-H. Yan, J.-N. Yang (Guangzhou, P.R. China), S.-M. Chan (Hong Kong, P.R. China) and J.-G. He (Guangzhou, P.R. China)	204
Effects of levamisole on the immune response and disease resistance of <i>Clarias fuscus</i> G. Li, Y. Guo, D. Zhao, P. Qian, J. Sun, C. Xiao, L. Liang and H. Wang (Guangzhou, P.R. China)	212
Genetics	
Anti-predator response in wild and sea-ranched brown trout and their crosses E. Petersson (Drattringhön, Uppsala, Sweden) and T. Järvi (Drattringhön, Stockholm, Sweden)	218
Genetic variability in wild and farmed Atlantic salmon (<i>Salmo salar</i>) strains estimated by SNP and microsatellites A.H. Rengmark (Oslo, Norway), A. Slettan (Oslo, Kristiansand, Norway), Ø. Skaala (Bergen, Norway), Ø. Lie and F. Lingaas (Oslo, Norway)	229
A new fibroblast like cell line from the fry of golden mahseer <i>Tor putitora</i> (Ham) W.S. Lakra (Mumbai, India), R.R. Bhonde (Pune, India), N. Sivakumar (Mumbai, India) and S. Ayyappan (New Delhi, India)	238
Impacts of effective population size on genetic diversity in hatchery reared Brown trout (<i>Salmo trutta</i> L.) populations T. Aho, J. Rönn (Uppsala, Öregrund Sweden), J. Piironen (Joensuu, Finland) and M. Björklund (Uppsala, Sweden; Finland)	244
Transfer of a foreign gene to Japanese abalone (<i>Haliotis diversicolor supertexta</i>) by direct testis-injection H.-L. Chen (Taipei, Taiwan), H.-S. Yang (Tainan, Taiwan), Rang Huang and H.-J. Tsai (Taipei, Taiwan)	249
Mitochondrial DNA diversity of broodstock of two indigenous mahseer species, <i>Tor tambroides</i> and <i>T. douronensis</i> (Cyprinidae) cultured in Sarawak, Malaysia T.T.T. Nguyen (Bangkok, Thailand), B. Ingram (Victoria, Australia), S. Sungan (Masawak Malaysia; Victoria Australia), G. Gooley (Victoria Australia), S.Y. Sim (Victoria Australia; Bangkok Thailand), D. Tinggi (Sarawak, Malaysia) and S.S. De Silva (Victoria Australia)	259
Husbandry and Management	
Spawning, early development, and first feeding in the lemonpeel angelfish <i>Centropyge flavissimus</i> I. Olivotto (Arcona, Italy), S.A. Holt (TX, USA), O. Carnevali (Arcona, Italy) and G.J. Holt (TX, USA)	270
Characteristics of spawning behaviour in cultured greenback flounder <i>Rhombosolea tapirina</i> N.W. Pankhurst and Q.P. Fitzgibbon (Tasmania, Australia)	279
A comparison of roe enhancement of the sea urchin <i>Evechinus chloroticus</i> in sea-based and land-based cages P.J. James (Wellington, New Zealand)	290

Effects of stocking density on the performance of the Australian freshwater silver perch (<i>Bidyanus bidyanus</i>) in cages S.J. Rowland, C. Mifsud, M. Nixon and P. Boyd (NSW, Australia)	301
Florfenicol residue depletion in channel catfish, <i>Ictalurus punctatus</i> (Rafinesque) C. Wrzesinski, L. Crouch (NJ, United States), P. Gaunt (MS, United States), D. Holifield (MS, United States), N. Bertrand (Ontario, Canada) and R. Endris (NJ, United States).	309
Previous chronic stress does not alter the cortisol response to an additional acute stressor in jundiá (<i>Rhamdia quelen</i> , Quoy and Gaimard) fingerlings L.J.G. Barcellos, L.C. Kreutz and R.M. Quevedo (CEP, Brazil).	317
Seasonal variation in metabolism of cultured Pacific oyster, <i>Crassostrea gigas</i> , in Sanggou Bay, China Y. Mao, Y. Zhou, H. Yang and R. Wang (Qingdao, P.R. China)	322
Early weaning of fat snook (<i>Centropomus parallelus</i> Poey 1864) larvae T.T. Alves Jr. (Ceara, Brazil), V.R. Cerqueira (SC, Brazil) and J.A. Brown (NF, Canada)	334
Effects of the prophylactic use of Romet®-30 and copper sulfate on growth, condition and feeding indices in Channel catfish (<i>Ictalurus punctatus</i>) J.L. Rábago-Castro, J.G. Sanchez, R. Pérez-Castañeda and A. González-González (Tamaulipas, México)	343
Effects of diet, stocking density, and environmental factors on growth, survival, and metamorphosis of Manila clam <i>Ruditapes philippinarum</i> larvae X. Yan, G. Zhang (Qingdao, PR China) and F. Yang (Dalian, PR China)	350
Batch fecundity of the swimming crab <i>Portunus trituberculatus</i> (Brachyura: Portunidae) K. Hamasaki (Tokyo, Japan), K. Fukunaga (Hokkaido, Japan) and S. Kitada (Tokyo, Japan)	359
The effect of age and shell size on accumulation of fouling organisms on the Akoya pearl oyster <i>Pinctada fucata</i> (Gould) J. Guenther, P.C. Southgate and R. de Nys (Townsville, QLD, Australia)	366
Cage culture of tambaqui (<i>Colossoma macropomum</i>) in a central Amazon floodplain lake L.d.C. Gomes, E.C. Chagas, H. Martins-Junior, R. Roubach, E.A. Ono and J.N. de Paula Lourenço (Manaus, AM, Brazil)	374
Long-term monitoring of individual fish triggering activity on a self-feeding system: An example using European sea bass (<i>Dicentrarchus labrax</i>) D. Covès (Palavas-les-Flots, France), M. Beauchaud, J. Attia (Cedex, France), G. Dutto, C. Bouchut (Palavas-les-Flots, France) and M.L. Bégout.	385
Salinity tolerance of embryos of obscure puffer <i>Takifugu obscurus</i> Z. Yang and Y. Chen (People's Republic of China)	393
Growth and survival of juvenile cobia, <i>Rachycentron canadum</i> , at different salinities in a recirculating aquaculture system M.J. Resley, K.A. Webb Jr. and G.J. Holt (Port Aransas, TX, United States)	398
The use of spatial analysis for environmental assessment of shellfish aquaculture in Baynes Sound, Vancouver Island, British Columbia, Canada B. Carswell, S. Cheesman and J. Anderson (Victoria, BC, Canada)	408
A pigmentation model for farmed Atlantic salmon: Nonlinear regression analysis of published experimental data O.I. Forsberg and A.G. Guttormsen (Ås, Norway).	415
Gnotobiotically grown rotifer <i>Brachionus plicatilis</i> sensu strictu as a tool for evaluation of microbial functions and nutritional value of different food types N.T.N. Tinh, Nguyen Ngoc Phuoc, K. Dierckens, P. Sorgeloos and P. Bossier (Gent, Belgium).	421
Relative importance of nitrogen and phosphorus emissions from shrimp farming and other anthropogenic sources for six estuaries along the NE Brazilian coast L.D. de Lacerda (Tortaleza, Niteroi, Brazil), A.G. Vaisman (Niteroi, Brazil), L.P. Maia, C.A. Ramos e Silva and E.M. Soares Cunha (Natal, Brazil).	433
Effect of turbidity, prey density and culture history on prey consumption by greenback flounder <i>Rhombosolea tapirina</i> larvae G.W. Shaw, P.M. Pankhurst and S.C. Battaglene (Tasmania, Australia).	447
Presence of spionid worms and other epibionts in Pacific oysters (<i>Crassostrea gigas</i>) cultured in Normandy, France J. Royer, M. Ropert, M. Mathieu and K. Costil (France)	461
Specific pathogen free culture of the Pacific oyster (<i>Crassostrea gigas</i>) in a breeding research program: Effect of water treatment on growth and survival S.E. Matson, C.J. Langdon and S. Evans (OR, USA).	475
Evaluation of reproductive performance and early growth of four strains of Nile tilapia (<i>Oreochromis niloticus</i> , L.) with different histories of domestication G.O. Osure (Sagana, Kenya) and R.P. Phelps (AL, USA).	485

Nutrition

- Effect of dietary traditional Chinese medicines on apparent digestibility coefficients of nutrients for white shrimp *Litopenaeus vannamei*, Boone
H.-Z. Lin, Z.-J. Li, Y.-Q. Chen, W.-H. Zheng and K. Yang (Qingdao, Yantai, China). 495
- Optimal proportions of crabs and fish in diet for common octopus (*Octopus vulgaris*) on-growing
B. García García and J. Cerezo Valverde (Murcia, Spain). 502
- The influence of the dietary inclusion of the alkaloid gramine, on rainbow trout (*Oncorhynchus mykiss*) growth, feed utilisation and gastrointestinal histology
B. Glencross, D. Evans, N. Rutherford (North Beach, Crawley, WA, Australia), W. Hawkins (South Perth, Crawley, Australia), P. McCafferty, K. Dods (East Perth, Crawley, WA, Australia), B. Jones (North Beach, WA, Australia), D. Harris, L. Morton (East Perth, Crawley, WA, Australia), M. Sweetingham and S. Sipsas (South Perth, Crawley, WA, Australia). 512
- Survival, development and growth of the Pacific white shrimp *Litopenaeus vannamei* protozoa larvae, fed with monoalgal and mixed diets
P. Piña, D. Voltolina, M. Nieves and M. Robles (Sinaloa, México). 523
- Replacing fish oil with pre-extruded carbohydrate in diets for Atlantic salmon, *Salmo salar*, during their entire marine grow-out phase: Effects on growth, composition and colour
A. Young (Glasgow, UK), P.C. Morris (Cheshire, UK), F.A. Huntingford (Glasgow, UK) and R. Sinnott (Cheshire, UK). 531
- Effects of dietary oil source on growth and fillet fatty acid composition of Murray cod, *Maccullochella peelii peelii*
D.S. Francis, G.M. Turchini, P.L. Jones and S.S. De Silva (Victoria, Australia). 547
- Effects of lipid on growth and feed utilization of white seabass (*Atractoscion nobilis*) fingerlings
L.M. López, A.L. Torres, E. Durazo (Ensenada, B.C., México), M. Drawbridge (San Diego, CA, United States) and D.P. Bureau (Guelph, ON, Canada). 557
- Dietary methionine requirement of large yellow croaker, *Pseudosciaena crocea* R
K. Mai, J. Wan, Q. Ai, W. Xu, Z. Liufu, L. Zhang, C. Zhang and H. Li (Qingdao, PR China). 564
- Biochemical compositions and digestive enzyme activities during the embryonic development of prawn, *Macrobrachium rosenbergii*
J.-j. Yao, Y.-l. Zhao, Q. Wang, Z.-l. Zhou, X.-c. Hu, X.-w. Duan and C.-g. An (Shanghai, China). 573
- Deposition of tocotrienols and tocopherols in the tissues of red hybrid tilapia, *Oreochromis* sp., fed a tocotrienol-rich fraction extracted from crude palm oil and its effect on lipid peroxidation
Y. Wang, K.-H. Yuen and W.-K. Ng (Penang, Malaysia). 583
- Influence of dietary phosphorus levels on growth, metabolic response and body composition of juvenile silver perch (*Bidyanus bidyanus*)
S.-D. Yang, T.-S. Lin, F.-G. Liu and C.-H. Liou (Keelung, Chupei, Taiwan, ROC). 592
- Effects of dietary vitamin A or β -carotene concentrations on growth of juvenile hybrid tilapia, *Oreochromis niloticus* \times *O. aureus*
C.-J. Hu, S.-M. Chen, C.-H. Pan and C.-H. Huang (Taiwan). 602
- The effect of nucleic acids on growth, ureagenesis and nitrogen excretion of gilthead sea bream *Sparus aurata* juveniles
A. Oliva-Teles, M.J. Guedes (Porto, Portugal), C. Vachot and S.J. Kaushik (Saint Pée-sur-Nivelle, France). 608
- New microalgae for the Pacific oyster *Crassostrea gigas* larvae
E. Ponis (Landunvez, Caen Cedex, France), I. Probert, B. Véron, M. Mathieu (Caen Cedex, France) and R. Robert (Landunvez, France). 618
- Comparison of diets containing various fish meal levels on growth performance, body composition, and insulin-like growth factor-I of juvenile channel catfish *Ictalurus punctatus* of different strains
M.H. Li, B.C. Peterson, C.L. Janes and E.H. Robinson (Stoneville, MS, USA). 628
- Inclusion of fish bone and crab by-products in diets for Atlantic cod, *Gadus morhua*
J. Toppe, A. Aksnes, B. Hope and S. Albrektsen (Bergen, Norway). 636
- Growth performance of the white shrimp *Litopenaeus vannamei* reared under time- and rate-restriction feeding regimes in a controlled culture system
A.J.P. Nunes, M.V.C. Sá, E.A. Carvalho and H.S. Neto (Ceará, Brazil). 646

Physiology and Endocrinology

- Survival, and biochemical, physiological, and histopathological responses of the giant freshwater prawn, *Macrobrachium rosenbergii*, to short-term trichlorfon exposure
C.-C. Chang, P.-P. Lee, J.-P. Hsu, S.-P. Yeh and W. Cheng (Taiwan, Republic of China). 653
- Differential expression of Cu/Zn superoxide dismutase mRNA during exposures to heavy metals in rockbream (*Oplegnathus fasciatus*)
Y.S. Cho, B.N. Choi, K.H. Kim, S.K. Kim, D.S. Kim (Busan, Republic of Korea), I.C. Bang and Y.K. Nam (Asan, Republic of Korea). 667

Developmental changes in stomach, intestine, and skin glycoconjugates in summer flounder (<i>Paralichthys dentatus</i>): A lectin histochemical study B. Soffientino, M. Gomez-Chiarri and J. Specker (RI, United States)	680
Nitrate toxicity in Siberian sturgeon (<i>Acipenser baeri</i>) H.J. Hamlin (Gainesville, FL, United States)	688
Functional changes in digestive enzymes and characterization of proteases of silver carp (δ) and bighead carp (φ) hybrid, during early ontogeny R. Chakrabarti, R. Mansingh Rathore, P. Mittal and S. Kumar (Delhi, India)	694
Physiological response of the blue shrimp <i>Litopenaeus stylirostris</i> to short-term confinement on a pond bottom C. Mugnier, H. Lemonnier and A. Legrand (Nouméa Cedex, New Caledonia)	703
Effect of culture depth on the proximate composition and reproduction of the Pacific oyster, <i>Crassostrea gigas</i> from Gosung Bay, Korea T.T.T. Ngo, S.-G. Kang, D.-H. Kang (Jeju, Republic of Korea), P. Sorgeloos (Gent, Belgium) and K.-S. Choi (Jeju, Republic of Korea)	712
Gynogenesis and sex determination in shortnose sturgeon, <i>Acipenser brevirostrum</i> Lesueur S.R. Flynn (New Brunswick, Canada), M. Matsuoka, M. Reith (Nova Scotia, Canada), D.J. Martin-Robichaud and T.J. Benfey (New Brunswick, Canada)	721
Short Communication	
Effect of feed portion size on growth of rainbow trout, <i>Oncorhynchus mykiss</i> (Walbaum), reared at different temperatures J. Bailey and A. Alanärä (Umeå, Sweden)	728
Technical Note	
Microsatellite multiplex panels for genetic studies of three species of marine fishes: red drum (<i>Sciaenops ocellatus</i>), red snapper (<i>Lutjanus campechanus</i>), and cobia (<i>Rachycentron canadum</i>) M.A. Renshaw, E. Saillant, S.C. Bradfield and J.R. Gold (TX, USA)	731
Contents of Aquaculture, Volume 253	736

